



Safety Data Sheet

STP Products Manufacturing Company

44 Old Ridgebury Road
 Suite 300
 Danbury, CT 06810
 Tel. 1-203-205-2900

1. Product And Company Identification

Product Name: STP® High Mileage Transmission Stop Slip + Leak Repair

Responsible Party: STP Products Manufacturing Company
 44 Old Ridgebury Road
 Suite 300
 Danbury, CT 06810

Information Phone Number: +1 203-205-2900

Emergency Phone Number:

For Medical Emergencies, call 1-866-949-6465 / +1 303-389-1332 (Outside US and Canada)
 For Transportation Emergencies, call 1-800-424-9300 (Chemtrec) +1-703-527-3887 for
 Outside US and Canada (call collect)

SDS Date of Preparation: 01/30/2018

Product Use and Uses Advised Against: Automotive maintenance product – For consumer and professional use

2. Hazards Identification

Note: This product is a consumer product and is labeled in accordance with the Consumer Product Safety Commission regulations and not OSHA regulations. The requirements for the labeling of consumer products take precedence over OSHA labeling so the actual product label will differ from the OSHA information shown below.

GHS Classification:

Physical:	Health:
Not Hazardous	Toxic to Reproduction Category 1B

GHS Label Elements:



Danger!

Statements of Hazard

May damage fertility.

Response

IF exposed or concerned: Get medical attention.

Storage

Store locked up.

Precautionary Statements

Prevention

Obtain special instructions before use.
 Do not handle until all safety precautions have been read and understood.

Disposal

Dispose of contents and container in accordance with local and national regulations.

Hazards not otherwise specified: None



Safety Data Sheet

STP Products Manufacturing Company

44 Old Ridgebury Road
Suite 300
Danbury, CT 06810
Tel. 1-203-205-2900

3. Composition/Information on Ingredients

Component	CAS No.	Amount
Petroleum Distillates, Hydrotreated heavy paraffinic	64742-54-7	50-65%
Mineral Oil	Proprietary	10-30%
Petroleum Distillates	Proprietary	10-15%
Phenol, 4-dodecyl-	104-43-8	< 1%

The specific identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First Aid Measures

Inhalation: If symptoms of exposure develop, remove to fresh air. If breathing becomes difficult, administer oxygen. If breathing has stopped, administer artificial respiration. Get medical attention if symptoms appear and persist.

Skin Contact: Wash exposed skin with soap and water. If skin irritation or redness develops, get medical attention.

Eye Contact: Flush eyes with large amounts of water. If irritation or other symptoms persist, get medical attention.

Ingestion: Do not induce vomiting unless directed to by doctor or physician. If the victim is fully conscious, have them drink a glass of water. Get medical assistance by calling a doctor or poison center. Never give anything by mouth to a person who is unconscious or drowsy.

Most Important Symptoms: May cause mild skin irritation. Inhalation of mists or vapors may cause mild upper respiratory tract irritation. Ingestion may cause gastrointestinal effects such as nausea, vomiting and diarrhea and central nervous system effects. Contains materials that may produce an adverse effect on fertility.

Indication of Immediate Medical Attention/Special Treatment: Immediate medical attention should not be required.

5. Firefighting Measures

Suitable (and Unsuitable) Extinguishing Media: Use water fog, foam, carbon dioxide or dry chemical. Cool fire exposed containers with water.

Specific Hazards Arising from the Chemical: This product is not classified as flammable or combustible, but will burn under fire conditions. Closed containers may rupture if exposed to extreme heat. Burning may produce carbon monoxide and carbon dioxide, nitrogen oxides, and hydrocarbons.

Special Protective Equipment and Precautions for Fire-fighters: Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for fires in areas where chemicals are used or stored.

6: Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures: Caution – slip hazard. Eliminate all ignition sources and ventilate the area. Wear appropriate protective equipment.



Safety Data Sheet

STP Products Manufacturing Company

44 Old Ridgebury Road
 Suite 300
 Danbury, CT 06810
 Tel. 1-203-205-2900

Environmental Precautions: Prevent entry in storm sewers and waterways. Report spill as required by local and national regulations. Notify the National Response Center if a spill of any amount enters navigable waters, the contiguous zone, or adjoining shorelines.

Methods for Containment and Clean-Up: Stop spill at the source if it is safe to do so. Absorb with an inert material. Collect into a suitable container for disposal. Clean area as appropriate since spilled materials, even in small quantities, may present a slip hazard.

7. Handling and Storage

Precautions for Safe Handling: Avoid contact with eyes. Avoid prolonged contact with skin and clothing. Wash hands after use. Keep out of the reach of children.

Conditions for Safe Storage, Including any Incompatibilities: No special storage required.

8. Exposure Controls / Personal Protection

Exposure Guidelines:

CHEMICAL	EXPOSURE LIMIT
Petroleum Distillates, Hydrotreated heavy paraffinic	5 mg/m ³ TWA OSHA PEL 5 mg/m ³ TWA ACGIH TLV (Inhalable)
Mineral Oil	5 mg/m ³ TWA OSHA PEL (As mist) 5 mg/m ³ TWA ACGIH TLV (Inhalable)
Petroleum Distillates	500 ppm TWA OSHA PEL
Phenol, 4-dodecyl-	None Established

Engineering Controls: General ventilation should be adequate for all normal use. For operations where the TLV may be exceeded, forced ventilation such as local exhaust may be needed to maintain exposures below applicable limits.

Personal Protective Equipment

Respiratory Protection: None under normal use conditions. For operations where the TLV is exceeded, a NIOSH approved respirator with an organic vapor cartridge and a dust/mist prefilter or supplied air respirator is recommended. Equipment selection depends on contaminant type and concentration. Select in accordance with 29 CFR 1910.134 and good industrial hygiene practice. For firefighting, use self-contained breathing apparatus.

Gloves: Impervious gloves such as neoprene or nitrile are recommended if needed to avoid prolonged or repeated skin contact

Eye Protection: Safety glasses or goggles are recommended if eye contact is possible.

Other Protective Equipment/Clothing: Appropriate protective clothing as needed to prevent prolonged/ repeated skin contact.

9. Physical and Chemical Properties

Appearance and Odor: Liquid with a petroleum-like odor.

Physical State: Liquid	Odor Threshold: Not available
pH: Not applicable	Specific Gravity: Not determined



Safety Data Sheet

STP Products Manufacturing Company

44 Old Ridgebury Road
Suite 300
Danbury, CT 06810
Tel. 1-203-205-2900

Initial Boiling Point/Range: Not determined	Vapor Pressure: Not determined
Melting/Freezing Point: Not determined	Vapor Density: Not determined
Solubility In Water: Insoluble	Percent Volatile: Not determined
Viscosity: At 40°C is >38.5 cSt (185 SUS)	Evaporation Rate: Not determined
Coefficient Of Water/Oil Distribution: Not determined	VOC Content: Not determined
Flash Point: >239°F (>115°C)	Autoignition Temp: Not determined
Decomposition Temperature: Not determined	Flammability Limits: LEL: Not determined UEL: Not determined
Flammability (solid, gas): Not applicable	

10. Stability and Reactivity

Reactivity: Not normally reactive

Chemical Stability: Stable.

Possibility of Hazardous Reactions: None known

Conditions To Avoid: None known

Incompatible Materials: Strong oxidizing agents.

Hazardous Decomposition Products: Burning may produce carbon monoxide and carbon dioxide, nitrogen oxides, and hydrocarbons.

11. Toxicological Information

POTENTIAL HEALTH EFFECTS:

Acute Hazards:

Inhalation: Inhalation of mists or vapors generated at elevated temperatures may cause upper respiratory tract irritation.

Skin Contact: May cause mild irritation. Prolonged or repeated contact may cause defatting and drying of the skin and dermatitis.

Eye Contact: Direct contact may cause mild eye irritation.

Ingestion: Ingestion may cause gastrointestinal effects such as nausea, vomiting and diarrhea and central nervous system effects with symptoms of drowsiness, headache, dizziness and unconsciousness.

Chronic Effects: Prolonged or repeated overexposure may cause adverse effects on the blood, kidneys, liver, and heart. Contains 4-dodecyl- Phenol which may produce an adverse effect on fertility.

Carcinogenicity Listing: None of the components is listed as a carcinogen or potential carcinogen by IARC, NTP, ACGIH or OSHA.

Acute Toxicity Values:

No data available for product.

Petroleum Distillates, Hydrotreated heavy paraffinic:

LD50 Oral Rat: >15,000 mg/kg

LD50 Skin Rabbit: >5,000 mg/kg

LC50 Inhalation Rat: >5 mg/L/4 hr.

Mineral Oil: LD50 Rat oral > 5,000 mg/kg

LD50 Rabbit dermal > 2,000 mg/ kg



Safety Data Sheet

STP Products Manufacturing Company

44 Old Ridgebury Road
Suite 300
Danbury, CT 06810
Tel. 1-203-205-2900

LC50 Rat inhalation > 5,000 mg/L/4 hr.

Petroleum Distillates:

LD50 Oral Rat: >15,000 mg/kg

LD50 Skin Rabbit: >5,000 mg/kg

LC50 Inhalation Rat: >5 mg/L/4 hr.

Phenol, 4-dodecyl-:

Not acutely toxic

12. Ecological Information

Ecotoxicity:

Petroleum Distillates, Hydrotreated heavy paraffinic:

LL50 Pimephales promelas (fathead minnow) >100 mg/l /96 hr.

Mineral Oil: NOEL Oncorhynchus mykiss >= 100 mg/L/96 hr.

NOEL Daphnia magna >= 100 mg/L/96 hr.

Persistence and Degradability:

Petroleum Distillates, Hydrotreated heavy paraffinic: Not readily biodegradable.

Bio accumulative Potential: No data available

Mobility in Soil: No data available

Other Adverse Effects: No data available

13. Disposal Considerations

Dispose of in accordance with all local, state/provincial and federal regulations. Offer empty containers for recycling.

14. Transport Information

DOT Hazardous Materials Description: Not Regulated

Canadian TDG Hazardous Materials Description: Not Regulated

IMDG Dangerous Goods Description: Not Regulated

15. Regulatory Information

United States:

EPA TSCA INVENTORY: All of the components of this material are listed on the Toxic Substances Control Act (TSCA) Chemical Substances Inventory.

CERCLA Section 103: This product has no RQ, however, oil spills must be reported to the National Response Center. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

SARA Hazard Category (311/312): Classified under OSHA Hazcom 2012 GHS as per Section 2 of this SDS.



Safety Data Sheet

STP Products Manufacturing Company

44 Old Ridgebury Road
Suite 300
Danbury, CT 06810
Tel. 1-203-205-2900

SARA 313: This product contains the following chemicals subject to Annual Release Reporting Requirements under SARA Title III, Section 313 (40 CFR 372): None

Canada:

Canadian Environmental Protection Act: All of the ingredients are listed on the Canadian DSL.

16. Other Information

NFPA Rating (NFPA 704):	Health: 0	Fire: 1	Instability: 0
HMIS Rating:	Health: 0*	Fire: 1	Physical Hazard: 0
	*Chronic Health hazard		

REVISION DATE: 02/22/2018

REVISION SUMMARY: Change in Section 3

PREVIOUS REVISION DATE: 01/30/2018

DATA SUPPLIED IS FOR USE ONLY IN CONNECTION WITH OCCUPATIONAL SAFETY AND HEALTH